ELSEVIER

Brain Research 740 (1996) 356–358

BRAIN RESEARCH

Author Index

Akagawa, K., see Yamaguchi, K. (740) 185
Alberch, J., see Calvo, N. (740) 323
Allan, D.M., see Lane, R.D. (740) 208
Alonzi, T., see Di Santo, E. (740) 239
Amrani, K., Dykes, R.W. and Lamarre, Y.
Bilateral contributions to motor recovery in the monkey following lesions of the deep cerebellar nuclei (740) 275
Araki, T., see Watanabe, A. (740) 329
Arias, P., Carbone, S., Szwarcfarb, B., Feleder, C., Rodríguez, M., Scacchi, P. and Moguilevsky, J.A.
Effects of aging on *N*-methyl-D-aspartate (NMDA)-induced GnRH and LH release in female rats (740) 234

Baudry, M., see Gagné, J. (740) 337
Behbehani, M.M. and Da Costa Gomez, T.M.
Properties of a projection pathway from the medial preoptic nucleus to the midbrain periaqueductal gray of the rat and its role in the regulation of cardiovascular function (740) 141
Bennett-Clarke, C.A., see Lane, R.D. (740) 208
Blasig, I.E., see Kunstmann, S. (740) 353
Brudzynski, S.M., see Wu, M. (740) 151

Calvo, N., Reiriz, J., Pérez-Navarro, E. and Alberch, J.
Tachykinins protect cholinergic neurons from quinolinic acid excitotoxicity in striatal cultures (740) 323
Caputi, G., see Marchettini, P. (740) 109
Carbone, S., see Arias, P. (740) 234
Chaouloff, F., see Meeusen, R. (740) 245
Chigasaki, H., see Wada, K. (740) 15
Ciliberto, G., see Di Santo, E. (740) 239
Cohen, R.S., see Rachman, I.M. (740) 291
Colombari, E., see Menani, J.V. (740) 102
Currás, M.C. and Pallotta, B.S.
Single-channel evidence for glycine and NMDA requirement in NMDA receptor activation (740) 27

Da Costa Gomez, T.M., see Behbehani, M.M. (740) 141
Debilly, G., see Del C. González, M.M. (740) 215
Del C. González, M.M., Valatx, J.L. and Debilly, G.
Role of the locus coeruleus in the sleep rebound following two different sleep deprivation methods in the rat (740) 215
De Meirleir, K., see Meeusen, R. (740) 245
Di Santo, E., Alonzi, T., Fattori, E., Poli, V., Ciliberto, G., Sironi, M., Gnocchi, P., Ricciardi-Castagnoli, P. and Ghezzi, P.
Overexpression of interleukin-6 in the central nervous system of transgenic mice increases central but not systemic proinflammatory cytokine production (740) 239
Doležal, V., Lee, K., Schobert, A. and Hertting, G.
The influx of Ca^{2+} and the release of noradrenaline evoked by the stimulation of presynaptic nicotinic receptors of chick sympathetic neurons in culture are not mediated via L-, N-, or P-type calcium channels (740) 75
Doron, A., see Mayevsky, A. (740) 268
Droste, M., see Kluxen, F.-W. (740) 169
Dykes, R.W., see Amrani, K. (740) 275
Dykes, R.W., see Testylier, G. (740) 307

Ebinger, G., see Meeusen, R. (740) 245
Ellman, A., see Kim, J.H.Y. (740) 47
Endo, K., see Kiyotani, T. (740) 66
Engel, A.G., see Milone, M. (740) 346

Fattori, E., see Di Santo, E. (740) 239
Feleder, C., see Arias, P. (740) 234
Fujiwara, T., see Yamaguchi, K. (740) 185
Fukushima, T., see Moriya, T. (740) 261

Gagné, J., Giguère, C., Tocco, G., Ohayon, M., Thompson, R.F., Baudry, M. and Massicotte, G.
Effect of phosphatidylserine on the binding properties of glutamate receptors in brain sections from adult and neonatal rats (740) 337
Ghezzi, P., see Di Santo, E. (740) 239
Giguère, C., see Gagné, J. (740) 337
Glabe, C.G., see Knauer, M.F. (740) 6
Gnocchi, P., see Di Santo, E. (740) 239
Gojowczyk, G., see Grome, J.J. (740) 41
Grome, J.J., Hofmann, W., Gojowczyk, G. and Stefanovich, V.
Effects of a xanthine derivative, propentofylline, on local cerebral blood flow and glucose utilization in the rat (740) 41
Grune, T., see Kunstmann, S. (740) 353

Hajós, M. and Sharp, T.
Burst-firing activity of presumed 5-HT neurones of the rat dorsal raphe nucleus: electrophysiological analysis by antidromic stimulation (740) 162
Hamada, T., see Watanabe, A. (740) 329
Hashimoto, K., see Tomitaka, S. (740) 1
Hertting, G., see Doležal, V. (740) 75
Hofmann, W., see Grome, J.J. (740) 41
Honda, Y., see Kobayashi, K. (740) 57
Hrycyshyn, A.W., see Wu, M. (740) 151
Huhn, C., see Peschke, E. (740) 81
Hülster, A., see Kluxen, F.-W. (740) 169

Ichinose, M., see Sawada, M. (740) 124
Imamura, K., see Muguruma, K. (740) 131
Ishida, A., see Nakajima, W. (740) 316
Ito, M., see Wada, K. (740) 15

Johnson, A.K., see Menani, J.V. (740) 102
Juraska, J.M., see Kim, J.H.Y. (740) 47

Katoh, H., see Wada, K. (740) 15
Kawakita, K., see Okada, K. (740) 201
Kim, J.H.Y., Ellman, A. and Juraska, J.M.
A re-examination of sex differences in axon density and number in the splenium of the rat corpus callosum (740) 47
Kiyotani, T., Teramachi, M., Takimoto, Y., Nakamura, T., Shimizu, Y. and Endo, K.
Nerve regeneration across a 25-mm gap bridged by a polyglycolic acid-collagen tube: a histological and electrophysiological evaluation of regenerated nerves (740) 66
Kluxen, F.-W., Hülster, A., Droste, M. and Pfeuffer, T.
The expression of a novel Ca^{2+}/CaM stimulated adenylyl cyclase activity in the neuroblastoma cell line Lan-1 is regulated by cell density (740) 169
Knauer, M.F., Orlando, R.A. and Glabe, C.G.
Cell surface APP751 forms complexes with protease nexin 2 ligands and is internalized via the low density lipoprotein receptor-related protein (LRP) (740) 6
Kobayashi, H., see Kobayashi, K. (740) 57
Kobayashi, K., Kobayashi, H., Ueda, M. and Honda, Y.
Monoclonal antibody, KK1, recognizes human retinal astrocytes and. distinguishes a subtype of astrocytes in mouse brain (740) 57

ELSEVIER

Brain Research 740 (1996) 356–358

BRAIN RESEARCH

Author Index

Akagawa, K., see Yamaguchi, K. (740) 185
Alberch, J., see Calvo, N. (740) 323
Allan, D.M., see Lane, R.D. (740) 208
Alonzi, T., see Di Santo, E. (740) 239
Amrani, K., Dykes, R.W. and Lamarre, Y.
Bilateral contributions to motor recovery in the monkey following lesions of the deep cerebellar nuclei (740) 275
Araki, T., see Watanabe, A. (740) 329
Arias, P., Carbone, S., Szwarcfarb, B., Feleder, C., Rodríguez, M., Scacchi, P. and Moguilevsky, J.A.
Effects of aging on *N*-methyl-D-aspartate (NMDA)-induced GnRH and LH release in female rats (740) 234

Baudry, M., see Gagné, J. (740) 337
Behbehani, M.M. and Da Costa Gomez, T.M.
Properties of a projection pathway from the medial preoptic nucleus to the midbrain periaqueductal gray of the rat and its role in the regulation of cardiovascular function (740) 141
Bennett-Clarke, C.A., see Lane, R.D. (740) 208
Blasig, I.E., see Kunstmann, S. (740) 353
Brudzynski, S.M., see Wu, M. (740) 151

Calvo, N., Reiriz, J., Pérez-Navarro, E. and Alberch, J.
Tachykinins protect cholinergic neurons from quinolinic acid excitotoxicity in striatal cultures (740) 323
Caputi, G., see Marchettini, P. (740) 109
Carbone, S., see Arias, P. (740) 234
Chaouloff, F., see Meeusen, R. (740) 245
Chigasaki, H., see Wada, K. (740) 15
Ciliberto, G., see Di Santo, E. (740) 239
Cohen, R.S., see Rachman, I.M. (740) 291
Colombari, E., see Menani, J.V. (740) 102
Currás, M.C. and Pallotta, B.S.
Single-channel evidence for glycine and NMDA requirement in NMDA receptor activation (740) 27

Da Costa Gomez, T.M., see Behbehani, M.M. (740) 141
Debilly, G., see Del C. González, M.M. (740) 215
Del C. González, M.M., Valatx, J.L. and Debilly, G.
Role of the locus coeruleus in the sleep rebound following two different sleep deprivation methods in the rat (740) 215
De Meirleir, K., see Meeusen, R. (740) 245
Di Santo, E., Alonzi, T., Fattori, E., Poli, V., Ciliberto, G., Sironi, M., Gnocchi, P., Ricciardi-Castagnoli, P. and Ghezzi, P.
Overexpression of interleukin-6 in the central nervous system of transgenic mice increases central but not systemic proinflammatory cytokine production (740) 239
Doležal, V., Lee, K., Schobert, A. and Hertting, G.
The influx of Ca^{2+} and the release of noradrenaline evoked by the stimulation of presynaptic nicotinic receptors of chick sympathetic neurons in culture are not mediated via L-, N-, or P-type calcium channels (740) 75
Doron, A., see Mayevsky, A. (740) 268
Droste, M., see Kluxen, F.-W. (740) 169
Dykes, R.W., see Amrani, K. (740) 275
Dykes, R.W., see Testylier, G. (740) 307

Ebinger, G., see Meeusen, R. (740) 245
Ellman, A., see Kim, J.H.Y. (740) 47
Endo, K., see Kiyotani, T. (740) 66
Engel, A.G., see Milone, M. (740) 346

Fattori, E., see Di Santo, E. (740) 239
Feleder, C., see Arias, P. (740) 234
Fujiwara, T., see Yamaguchi, K. (740) 185
Fukushima, T., see Moriya, T. (740) 261

Gagné, J., Giguère, C., Tocco, G., Ohayon, M., Thompson, R.F., Baudry, M. and Massicotte, G.
Effect of phosphatidylserine on the binding properties of glutamate receptors in brain sections from adult and neonatal rats (740) 337
Ghezzi, P., see Di Santo, E. (740) 239
Giguère, C., see Gagné, J. (740) 337
Glabe, C.G., see Knauer, M.F. (740) 6
Gnocchi, P., see Di Santo, E. (740) 239
Gojowczyk, G., see Grome, J.J. (740) 41
Grome, J.J., Hofmann, W., Gojowczyk, G. and Stefanovich, V.
Effects of a xanthine derivative, propentofylline, on local cerebral blood flow and glucose utilization in the rat (740) 41
Grune, T., see Kunstmann, S. (740) 353

Hajós, M. and Sharp, T.
Burst-firing activity of presumed 5-HT neurones of the rat dorsal raphe nucleus: electrophysiological analysis by antidromic stimulation (740) 162
Hamada, T., see Watanabe, A. (740) 329
Hashimoto, K., see Tomitaka, S. (740) 1
Hertting, G., see Doležal, V. (740) 75
Hofmann, W., see Grome, J.J. (740) 41
Honda, Y., see Kobayashi, K. (740) 57
Hrycyshyn, A.W., see Wu, M. (740) 151
Huhn, C., see Peschke, E. (740) 81
Hülster, A., see Kluxen, F.-W. (740) 169

Ichinose, M., see Sawada, M. (740) 124
Imamura, K., see Muguruma, K. (740) 131
Ishida, A., see Nakajima, W. (740) 316
Ito, M., see Wada, K. (740) 15

Johnson, A.K., see Menani, J.V. (740) 102
Juraska, J.M., see Kim, J.H.Y. (740) 47

Katoh, H., see Wada, K. (740) 15
Kawakita, K., see Okada, K. (740) 201
Kim, J.H.Y., Ellman, A. and Juraska, J.M.
A re-examination of sex differences in axon density and number in the splenium of the rat corpus callosum (740) 47
Kiyotani, T., Teramachi, M., Takimoto, Y., Nakamura, T., Shimizu, Y. and Endo, K.
Nerve regeneration across a 25-mm gap bridged by a polyglycolic acid-collagen tube: a histological and electrophysiological evaluation of regenerated nerves (740) 66
Kluxen, F.-W., Hülster, A., Droste, M. and Pfeuffer, T.
The expression of a novel Ca^{2+}/CaM stimulated adenylyl cyclase activity in the neuroblastoma cell line Lan-1 is regulated by cell density (740) 169
Knauer, M.F., Orlando, R.A. and Glabe, C.G.
Cell surface APP751 forms complexes with protease nexin 2 ligands and is internalized via the low density lipoprotein receptor-related protein (LRP) (740) 6
Kobayashi, H., see Kobayashi, K. (740) 57
Kobayashi, K., Kobayashi, H., Ueda, M. and Honda, Y.
Monoclonal antibody, KK1, recognizes human retinal astrocytes and. distinguishes a subtype of astrocytes in mouse brain (740) 57

Kunstmann, S., Mertsch, K., Blasig, I.E. and Grune, T.
High metabolic rates of 4-hydroxynonenal in brain capillary endothelial cells during hypoxia/reoxygenation (740) 353

Lamarre, Y., see Amrani, K. (740) 275
Lane, R.D., Allan, D.M., Bennett-Clarke, C.A. and Rhoades, R.W.
Differential age-dependent effects of retinal deafferentation upon calbindin- and parvalbumin-immunoreactive neurons in the superficial layers of the rat's superior colliculus (740) 208
Lappi, D.A., see Wrenn, C.C. (740) 175
Lee, K., see Doležal, V. (740) 75

Manor, T., see Mayevsky, A. (740) 268
Marchettini, P., Simone, D.A., Caputi, G. and Ochoa, J.L.
Pain from excitation of identified muscle nociceptors in humans (740) 109
Massicotte, G., see Gagné, J. (740) 337
Matsuki, N., see Sato, K. (740) 117
Mayevsky, A., Doron, A., Manor, T., Meilin, S., Zarchin, N. and Ouaknine, G.E.
Cortical spreading depression recorded from the human brain using a multiparametric monitoring system (740) 268
Meeusen, R., Thorré, K., Chaouloff, F., Sarre, S., De Meirleir, K., Ebinger, G. and Michotte, Y.
Effects of tryptophan and/or acute running on extracellular 5-HT and 5-HIAA levels in the hippocampus of food-deprived rats (740) 245
Meilin, S., see Mayevsky, A. (740) 268
Menani, J.V., Colombari, E., Talman, W.T. and Johnson, A.K.
Commissural nucleus of the solitary tract lesions reduce food intake and body weight gain in rats (740) 102
Mertsch, K., see Kunstmann, S. (740) 353
Michotte, Y., see Meeusen, R. (740) 245
Milone, M. and Engel, A.G.
Block of the endplate acetylcholine receptor channel by the sympathomimetic agents ephedrine, pseudoephedrine, and albuterol (740) 346
Minabe, Y., see Tomitaka, S. (740) 1
Miyazawa, T., see Wada, K. (740) 15
Moguilevsky, J.A., see Arias, P. (740) 234
Morii, H., see Muguruma, K. (740) 131
Moriya, T., Yamanouchi, S., Fukushima, T., Shimazoe, T., Shibata, S. and Watanabe, S.
Involvement of 5-HT_{1A} receptor mechanisms in the inhibitory effects of methamphetamine on photic responses in the rodent suprachiasmatic nucleus (740) 261
Moriya, T., see Watanabe, A. (740) 329
Muguruma, K., Imamura, K., Morii, H. and Watanabe, Y.
Down-regulation of β-adrenergic receptor following long-term monocular deprivation in cat visual cortex (740) 131

Nakajima, W., Ishida, A. and Takada, G.
Effect of anoxia on striatal monoamine metabolism in immature rat brain compared with that of hypoxia: an in vivo microdialysis study (740) 316
Nakamura, T., see Kiyotani, T. (740) 66
Nakayama, T., see Yamaguchi, K. (740) 185
Narita, N., see Tomitaka, S. (740) 1
Nawashiro, H., see Wada, K. (740) 15
Nisikawa, Y., see Watanabe, A. (740) 329

Ochoa, J.L., see Marchettini, P. (740) 109
Ohayon, M., see Gagné, J. (740) 337
Okada, K., Oshima, M. and Kawakita, K.
Examination of the afferent fiber responsible for the suppression of jaw-opening reflex in heat, cold, and manual acupuncture stimulation in rats (740) 201
Orlando, R.A., see Knauer, M.F. (740) 6
Oshima, M., see Okada, K. (740) 201
Ouaknine, G.E., see Mayevsky, A. (740) 268

Pallotta, B.S., see Currás, M.C. (740) 27
Pan, Z. and Perez-Polo, R.
Increased uptake of L-cysteine and L-cystine by nerve growth factor in rat pheochromocytoma cells (740) 21
Pérez-Navarro, E., see Calvo, N. (740) 323
Perez-Polo, R., see Pan, Z. (740) 21
Peschke, D., see Peschke, E. (740) 81
Peschke, E., Peschke, D. and Huhn, C.
Circannual morphometric investigations of the rat suprachiasmatic nucleus after pinealectomy, ganglionectomy and thyroidectomy (740) 81
Pfaff, D.W., see Rachman, I.M. (740) 291
Pfeuffer, T., see Kluxen, F.-W. (740) 169
Picklo, M.J., see Wrenn, C.C. (740) 175
Poli, V., see Di Santo, E. (740) 239

Rachman, I.M., Pfaff, D.W. and Cohen, R.S.
NADPH diaphorase activity and nitric oxide synthase immunoreactivity in lordosis-relevant neurons of the ventromedial hypothalamus (740) 291
Reiriz, J., see Calvo, N. (740) 323
Rhoades, R.W., see Lane, R.D. (740) 208
Ricciardi-Castagnoli, P., see Di Santo, E. (740) 239
Robertson, D., see Wrenn, C.C. (740) 175
Rodríguez, M., see Arias, P. (740) 234

Saito, H., see Sato, K. (740) 117
Sakamoto, A., see Tomitaka, S. (740) 1
Sarre, S., see Meeusen, R. (740) 245
Sato, K., Saito, H. and Matsuki, N.
HSP70 is essential to the neuroprotective effect of heat-shock (740) 117
Sawada, M., Ichinose, M. and Stefano, G.B.
Inhibition of the Met-enkephalin-induced K^+ current in B-cluster neurons of *Aplysia* by nitric oxide donor (740) 124
Scacchi, P., see Arias, P. (740) 234
Schobert, A., see Doležal, V. (740) 75
Scott, T.R., see Yan, J. (740) 193
Sharp, T., see Hajós, M. (740) 162
Shi, B. and Stanfield, B.B.
Differential sprouting responses in axonal fiber systems in the dentate gyrus following lesions of the perforant path in *Wld*^{s} mutant mice (740) 89
Shibata, S., see Moriya, T. (740) 261
Shibata, S., see Watanabe, A. (740) 329
Shima, K., see Wada, K. (740) 15
Shimazoe, T., see Moriya, T. (740) 261
Shimizu, Y., see Kiyotani, T. (740) 66
Simone, D.A., see Marchettini, P. (740) 109
Sironi, M., see Di Santo, E. (740) 239
Soinila, S., see Vanhatalo, S. (740) 253
Stanfield, B.B., see Shi, B. (740) 89
Stefano, G.B., see Sawada, M. (740) 124
Stefanovich, V., see Grome, J.J. (740) 41
Szwarcfarb, B., see Arias, P. (740) 234

Takada, G., see Nakajima, W. (740) 316
Takahashi, J.S., see Zhang, Y. (740) 285
Takimoto, Y., see Kiyotani, T. (740) 66
Talman, W.T., see Menani, J.V. (740) 102
Tamura, A., see Tomitaka, S. (740) 1
Teramachi, M., see Kiyotani, T. (740) 66
Testylier, G. and Dykes, R.W.
Acetylcholine release from frontal cortex in the waking rat measured by microdialysis without acetylcholinesterase inhibitors: effects of diisopropylfluorophosphate (740) 307
Thompson, R.F., see Gagné, J. (740) 337
Thorré, K., see Meeusen, R. (740) 245
Tocco, G., see Gagné, J. (740) 337
Tomitaka, S., Hashimoto, K., Narita, N., Sakamoto, A., Minabe, Y. and Tamura, A.
Memantine induces heat shock protein HSP70 in the posterior cingulate cortex, retrosplenial cortex and dentate gyrus of rat brain (740) 1
Turek, F.W., see Zhang, Y. (740) 285

Ueda, M., see Kobayashi, K. (740) 57

Valatx, J.L., see Del C. González, M.M. (740) 215
Vanhatalo, S. and Soinila, S.
Pituitary gland receives both central and peripheral neuropeptide Y innervation (740) 253
Villarroel, A.
M-Current suppression in PC12 cells by bradykinin is mediated by a pertussis toxin-insensitive G-protein and modulated by intracellular calcium (740) 227

Wada, K., Ito, M., Miyazawa, T., Katoh, H., Nawashiro, H., Shima, K. and Chigasaki, H.
Repeated hyperbaric oxygen induces ischemic tolerance in gerbil hippocampus (740) 15
Watanabe, A., Moriya, T., Nisikawa, Y., Araki, T., Hamada, T., Shibata, S. and Watanabe, S.
Adenosine A1-receptor agonist attenuates the light-induced phase shifts and fos expression in vivo and optic nerve stimulation-evoked field potentials in the suprachiasmatic nucleus in vitro (740) 329
Watanabe, S., see Moriya, T. (740) 261
Watanabe, S., see Watanabe, A. (740) 329

Watanabe, Y., see Muguruma, K. (740) 131
Wiley, R.G., see Wrenn, C.C. (740) 175
Wrenn, C.C., Picklo, M.J., Lappi, D.A., Robertson, D. and Wiley, R.G.
Central noradrenergic lesioning using anti-DBH-saporin: anatomical findings (740) 175
Wu, M., Hrycyshyn, A.W. and Brudzynski, S.M.
Subpallidal outputs to the nucleus accumbens and the ventral tegmental area: anatomical and electrophysiological studies (740) 151

Yamaguchi, K., Nakayama, T., Fujiwara, T. and Akagawa, K.
Enhancement of neurite-sprouting by suppression of HPC-1/syntaxin 1A activity in cultured vertebrate nerve cells (740) 185
Yamanouchi, S., see Moriya, T. (740) 261
Yan, J. and Scott, T.R.
The effect of satiety on responses of gustatory neurons in the amygdala of alert cynomolgus macaques (740) 193

Zarchin, N., see Mayevsky, A. (740) 268
Zhang, Y., Takahashi, J.S. and Turek, F.W.
Critical period for cycloheximide blockade of light-induced phase advances of the circadian locomotor activity rhythm in golden hamsters (740) 285